SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 and The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 No. 720

Supercedes date 28-Jan-2022 **Revision date** 20-Jan-2026 **Revision Number** 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Metasyn 5

Synonyms None

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Embalming chemical

Uses advised against Use only for intended applications

1.3. Details of the supplier of the safety data sheet

Manufacturer
The MazWell Group Ltd.
Units 11/14-15 Ardglen
Industrial Estate,
Whitchurch, Hampshire,
RG28 7BB, United Kingdom
+44 (0)1256-893883
+44 (0)1256-893868
enquiries@themazwellgroup.com

For further information, please contact
E-mail address enquiries@themazwellgroup.com

1.4. Emergency telephone number

Emergency telephone +44 (0)1256 893883 (Mon- Fri 9:00 am - 4:30 pm)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Acute toxicity - Oral	Category 4 - (H302)
Acute toxicity - Inhalation (Gases)	Category 3 - (H331)
Acute toxicity - Inhalation (Dusts/Mists)	Category 3 - (H331)

Skin irritation	Category 2 - (H315)
Eye irritation	Category 2 - (H319)
Skin sensitisation	Category 1 - (H317)
Germ cell mutagenicity	Category 2 - (H341)
Carcinogenicity	Category 1B - (H350)
Specific target organ toxicity (single exposure)	Category 2 Category 3 - (H371), (H335)
Category 3 Respiratory irritation	

2.2. Label elements

Contains Methanol; Formaldehyde

Signal word
Danger

Hazard statements
H302 - Harmful if swallowed.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H331 - Toxic if inhaled.
H341 - Suspected of causing genetic defects.
H350 - May cause cancer.
H371 - May cause damage to organs.
EUH071 - Corrosive to the respiratory tract

Precautionary statements
P201 - Obtain special instructions before use.
P260 - Do not breathe dust, fume, gas, mist, vapors and spray.
P264 - Wash face, hands and any exposed skin thoroughly after handling.
P280 - Wear protective gloves, protective clothing, eye protection and face protection.
P321 - Specific treatment (see supplemental first aid instructions on this label).
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.

Unknown acute toxicity
6.4275 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

Additional information
This product requires child resistant fastenings if supplied to the general public. This product requires tactile warnings if supplied to the general public. Restricted to professional users.

2.3. Other hazards

Other hazards May be harmful in contact with skin. Harmful to aquatic life. Combustible liquid.

PBT or vPvB properties The mixture does not contain any substances meeting the PBT or vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	Weight-%	EC No. (Index No.)	UK REACH registration number	Classification according to GB CLP (SI 2020/1567 as amended)	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
Methanol 67-56-1	5 - <10	200-659-6	-	Flam. Liq. 2 (H225) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 3 (H331) STOT SE 1 (H370)	STOT SE 1 :: C>=10% STOT SE 2 :: 3%<=C<10%	-	-	-
Formaldehyde 50-00-0	5 - <10	200-001-8 (605-001-00-5)	-	Acute Tox. 4 (H302) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1A (H317) Acute Tox. 2 (H330) Muta. 2 (H341) Carc. 1B (H350) (EUH071)	Eye Irrit. 2 :: 5%<=C<25% Skin Corr. 1B :: C>=25% Skin Irrit. 2 :: 5%<=C<25% Skin Sens. 1 :: C>=0.2% STOT SE 3 :: C>=5%	-	-	B,D,F
Propylene Glycol 57-55-6	1-<3	200-338-0	-	[F]	-	-	-	-
Sodium thiocyanate 540-72-7	0.5-<1	208-754-4 (615-004-00-3) (615-030-00-5)	-	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Aquatic Chronic 3 (H412) (EUH032)	-	-	-	A
Sodium hydroxide 1310-73-2	<0.025	215-185-5 (011-002-00-6)	-	Skin Corr. 1A (H314)	Eye Irrit. 2 :: 0.5%<=C<2% Skin Corr. 1A :: C>=5% Skin Corr. 1B :: 2%<=C<5% Skin Irrit. 2 :: 0.5%<=C<2%	-	-	-

Classification according to GB CLP (SI 2020/1567 as amended)

[F] - Although non-hazardous, the manufacturer chooses to disclose the composition

CLP Notes

Note A - Without prejudice to Article 17(2), the name of the substance must appear on the label in the form of one of the designations given in the GB mandatory classification and labelling list. In the GB mandatory classification and labelling list, use is sometimes made of a general description such as '... compounds' or '... salts'. In this case, the supplier is required to state on the label the correct name, due account being taken of section 1.1.1.4.

Note B - Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In the GB mandatory classification and labelling list entries with Note B have a general designation of the following type: 'nitric acid … %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

Note D - Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in the GB mandatory classification and labelling list. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Note F - This substance may contain a stabiliser. If the stabiliser changes the hazardous properties of the substance, as indicated by the classification in the GB mandatory classification and labelling list, classification and labelling should be provided in accordance with the rules for classification and labelling of hazardous mixtures.

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate
In the absence of LD50/LC50 data, the conversion value (converted acute toxicity point estimate) may be indicated here; please note that these values do not represent test results

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Methanol 67-56-1	6200	15840	No data available	41.6976	No data available
Formaldehyde 50-00-0	500 + 100	2002	No data available	No data available	470.7562
Propylene Glycol 57-55-6	20000	20800	No data available	No data available	No data available
Sodium thiocyanate 540-72-7	764	No data available	No data available	No data available	No data available
Sodium hydroxide 1310-73-2	325	1350	No data available	No data available	No data available

+ This value is the harmonised acute toxicity estimate (ATE) listed in GB CLP Annex VI, Part 3. This harmonised ATE value must be used when calculating the acute toxicity estimate (ATEmix) for classifying a mixture containing the listed substance

This product does not contain candidate substances of very high concern at a concentration >= 0.1% (UK REACH Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. Immediate medical attention is required.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Rinse mouth. Do NOT induce vomiting.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor. If symptoms persist, call a doctor. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact May cause an allergic skin reaction. If symptoms persist, call a doctor. Wash off immediately with soap and plenty of water for at least 15 minutes. Rinse immediately with plenty of water and seek medical advice.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a doctor or poison control centre immediately.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Do not breathe vapour or mist. Use personal protective equipment as required. See section 8 for more information.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives. Erythema (skin redness). May cause redness and tearing of the eyes. Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. May cause blindness. Corrosive to the respiratory tract.
Effects of Exposure	May cause cancer. Mutagenic effects. May cause damage to organs if swallowed. May cause damage to organs if inhaled. May cause damage to organs. Contact with moist mucous membranes of the respiratory system can cause burns and lung damage.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Product is or contains a sensitiser. May cause sensitisation by skin contact. Thermal decomposition can lead to release of toxic and corrosive gases/vapours.
Hazardous combustion products	Carbon oxides, Inorganic compounds, Organic compounds, Formaldehyde, Methanol.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Do not breathe vapour or mist. Attention! Corrosive material.
Other information	Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dyke far

ahead of liquid spill for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Remove contaminated clothing and shoes. Do not breathe vapour or mist. Handle product only in closed system or provide appropriate exhaust ventilation.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. Do not breathe vapour or mist. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Protect from physical damage. Keep out of the reach of children. Store away from other materials.

7.3. Specific end use(s)

Specific use(s) The identified uses for this product are detailed in Section 1.2.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	United Kingdom
Methanol 67-56-1	TWA: 200 ppm; TWA: 266 mg/m^3; STEL: 250 ppm; STEL: 333 mg/m^3; pSk
Formaldehyde 50-00-0	TWA: 2 ppm; TWA: 2.5 mg/m^3; STEL: 2 ppm; STEL: 2.5 mg/m^3;
Propylene Glycol 57-55-6	TWA: 150 ppm; total vapour and particulate TWA: 474 mg/m^3; total vapour and particulate TWA: 10 mg/m^3; particulate

	STEL: 450 ppm; total vapour and particulate STEL: 1422 mg/m³; total vapour and particulate STEL: 30 mg/m³; particulate
Sodium thiocyanate 540-72-7	TWA: 5 mg/m³; STEL: 15 mg/m³; pSk
Sodium hydroxide 1310-73-2	STEL: 2 mg/m³;

Note See section 16 for terms and abbreviations

Biological occupational exposure limits This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
Methanol 67-56-1		20 mg/kg bw/day [4] [6] 20 mg/kg bw/day [4] [7]	130 mg/m³ [4] [6] 130 mg/m³ [4] [7] 130 mg/m³ [5] [6] 130 mg/m³ [5] [7]
Formaldehyde 50-00-0		240 mg/kg bw/day [4] [6] 37 µg/cm2 [5] [6]	9 mg/m³ [4] [6] 0.375 mg/m³ [5] [6] 0.75 mg/m³ [5] [7]
Sodium thiocyanate 540-72-7		4.3 mg/kg bw/day [4] [6]	3 mg/m³ [4] [6]
Sodium hydroxide 1310-73-2			1 mg/m³ [5] [6]

Notes
[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
Methanol 67-56-1	4 mg/kg bw/day [4] [6] 4 mg/kg bw/day [4] [7]	4 mg/kg bw/day [4] [6] 4 mg/kg bw/day [4] [7]	26 mg/m³ [4] [6] 26 mg/m³ [4] [7] 26 mg/m³ [5] [6] 26 mg/m³ [5] [7]
Formaldehyde 50-00-0	4.1 mg/kg bw/day [4] [6]	12 µg/cm2 [5] [6]	3.2 mg/m³ [4] [6] 0.1 mg/m³ [5] [6]
Sodium thiocyanate 540-72-7	0.2 mg/kg bw/day [4] [6]		1.1 mg/m³ [4] [6]
Sodium hydroxide 1310-73-2			1 mg/m³ [5] [6]

Notes
[4] Systemic health effects.
[5] Local health effects.
[6] Long term.
[7] Short term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
Propylene Glycol 57-55-6	260 mg/L	183 mg/L	26 mg/L		
Sodium thiocyanate 540-72-7	1.667 mg/kg food 0.095 mg/L	0.0272 mg/L	1.667 mg/kg food 0.0095 mg/L		

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Propylene Glycol 57-55-6	572 mg/kg sediment dw	57.2 mg/kg sediment dw	20000 mg/L	50 mg/kg soil dw	
Sodium thiocyanate 540-72-7	0.543 mg/kg sediment dw	0.0543 mg/kg sediment dw	30 mg/L	6.336 mg/kg soil dw	

8.2. Exposure controls

Engineering controls
Showers
Eyewash stations
Ventilation systems.

Personal protective equipment

Eye/face protection
Tight sealing safety goggles. Face protection shield. Eye protection must conform to standard EN 166.

Hand protection
Wear suitable gloves. To protect the wearer, gloves must be the correct fit and be used properly. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374.

Skin and body protection
Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection
Use appropriate respiratory protection. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid
Colour Orange colour
Odour Pungent
Odour threshold No information available

Property	Values	Remarks • Method
pH		No data available
pH (as aqueous solution)		No data available
Melting point / freezing point		No data available
Initial boiling point and boiling range	96 - 97 °C	
Flash point	93 °C	
Evaporation rate	> 1	Butyl acetate = 1
Flammability		No data available
Flammability Limit in Air		No data available
Upper flammability or explosive limits		

Lower flammability or explosive limits		
Vapour pressure		No data available
Relative vapour density	>1	
Relative density		
Bulk density		No data available
Liquid Density		No data available
Solubility(ies)		No data available
Water solubility	Soluble in water	
Partition coefficient		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
SADT (°C)		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

9.2. Other information

Molecular weight	No information available
VOC content	97 %
Softening point	No information available

Information with regards to physical hazard classes

Explosives	
Explosive properties	No information available.
Oxidising properties	No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid High temperature. Exposure to cold may cause precipitation of the polymer, will redissolve upon gentle heating. Excessive heat.

10.5. Incompatible materials

Incompatible materials Strong acids, Strong bases, Strong oxidising agents, Urea, Strong mineral acids, Strong alkalis, Phenols.

10.6. Hazardous decomposition products

Hazardous decomposition products Carbon oxides, Hazardous decomposition products due to incomplete combustion, Thermal

decomposition can lead to release of irritating and toxic gases and vapours, Decomposition products depend on temperature, exposure to air, and the presence of other substances. Processing may release irritating fumes, Formaldehyde.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Toxic by inhalation. (based on components). Corrosive to the respiratory tract. Contact with moist mucous membranes of the respiratory system can cause burns and lung damage.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain. May result in permanent damage including blindness.

Skin contact May cause sensitisation by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May be harmful in contact with skin. Causes severe burns.

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Erythema (skin redness). May cause redness and tearing of the eyes. Burning sensation. Coughing and/ or wheezing. Difficulty in breathing. May cause blindness. Corrosive to the respiratory tract.

Acute toxicity Toxic by inhalation. Harmful if swallowed.

Numerical measures of toxicity Acute Toxicity Estimate (ATE) values provided as a reflection of the hazard classification.
The following ATE values have been calculated for the mixture

ATEmix (oral)	1,342.20 mg/kg
ATEmix (dermal)	2,554.80 mg/kg
ATEmix (inhalation-gas)	1,863.90 ppm
ATEmix (inhalation-vapour)	653.80 mg/L
ATEmix (inhalation-dust/mist)	0.835 mg/L

Unknown acute toxicity

6.4275 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas).

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methanol	= 100 mg/kg	= 300 mg/kg	= 22500 ppm (Rat) 8 h
Formaldehyde	= 100 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 578 mg/m³ (Rat) 4 h
Propylene Glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	> 317 042 mg/m³ (Rabbit) 2h
Sodium thiocyanate	= 764 mg/kg (Rat)	-	-
Sodium hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Contains a known or suspected mutagen. Classification based on data available for ingredients. Suspected of causing genetic defects.

The table below indicates ingredients above the cut-off threshold considered as relevant which are listed as mutagenic.

Chemical name	United Kingdom
Formaldehyde	Muta. 2

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	United Kingdom
Formaldehyde	Carc. 1B

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure May cause damage to organs if swallowed. May cause damage to organs if inhaled. May cause respiratory irritation.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity Large or frequent spills may have hazardous effects on the environment. Harmful to aquatic life.

Aquatic toxicity

Component Information

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Methanol	LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas)	-	-	-

	LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus)			
Formaldehyde	LC50: 22.6 - 25.7mg/L (96h, Pimephales promelas) LC50: =1510µg/L (96h, Lepomis macrochirus) LC50: =41mg/L (96h, Brachydanio rerio) LC50: 0.032 - 0.226mL/L (96h, Oncorhynchus mykiss) LC50: 100 - 136mg/L (96h, Oncorhynchus mykiss) LC50: 23.2 - 29.7mg/L (96h, Pimephales promelas)	EC50: 11.3 - 18mg/L (48h, Daphnia magna) LC50: =2mg/L (48h, Daphnia magna)	-	-
Propylene Glycol	LC50: 40613 mg/L (96h, Oncorhynchus mykiss)	LC50: 18340 mg/L (48h, Ceriodaphnia dubia)	EC50: 24200 mg/L (72h, Pseudokirchneriella subcapitata)	-
Sodium hydroxide	LC50: =45.4mg/L (96h, Oncorhynchus mykiss)	-	-	-

Terrestrial toxicity

Component Information

Chemical name	Earthworm	Avian	Honeybees
Methanol	Acute Toxicity: LC50 > 1 mg/cm2 (Eisenia foetida, 48 h filter paper)	-	-

12.2. Persistence and degradability No information available.

12.3. Bioaccumulative potential

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
Methanol	-0.77	10	-
Formaldehyde	0.35	0.35	-
Propylene Glycol	-1.07	1	-

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment This product does not contain any substances that are assessed to be a PBT or a vPvB.

Chemical name	PBT and vPvB assessment
Methanol	Not PBT/vPvB

Formaldehyde	Not PBT/vPvB
Propylene Glycol	Not PBT/vPvB
Sodium thiocyanate	Not PBT/vPvB
Sodium hydroxide	Not PBT/vPvB

12.6. Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA Not regulated
14.1 UN number or ID number Not regulated
14.2
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

IMDG Not regulated
14.1 UN number or ID number Not regulated
14.2
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not regulated
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None
14.7 Maritime transport in bulk according to IMO instruments No information available

RID Not regulated
14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not applicable
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

ADR Not regulated
14.1 UN number or ID number Not regulated
14.2 UN proper shipping name Not regulated
14.3 Transport hazard class(es) Not regulated
14.4 Packing group Not applicable
14.5 Environmental hazards Not applicable
14.6 Special precautions for user
Special Provisions None

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Authorisations and/or restrictions on use:
This product contains one or more substances subject to restriction (UK REACH - Annex XVII).

Chemical name	Restricted substance per UK REACH Annex XVII	Substance subject to authorization per UK REACH Annex XIV
Methanol 67-56-1	Use restricted. See item 69.	-
Formaldehyde 50-00-0	Use restricted. See item 28. Use restricted. See item 72. Restricted Carcinogen 1B	-

Persistent Organic Pollutants
Not applicable

Export Notification requirements
Not applicable

Dangerous substance category per COMAH (SI 2015/483 as amended)
H2 - ACUTE TOXIC
Named dangerous substances per COMAH (SI 2015/483 as amended)

Chemical name	Lower-tier requirements (tons)	Upper-tier requirements (tons)
Methanol 67-56-1	500	5000
Formaldehyde 50-00-0	5	50

The Ozone-Depleting Substances Regulations 2015
Not applicable

The Biocidal Products Regulations 2001 (as amended)

Chemical name	The Biocidal Products Regulations 2001 (as amended)
Formaldehyde 50-00-0	3: Veterinary hygiene 22: Embalming and taxidermist fluids

The Water Environment (Water Framework Directive) (England and Wales) Regulations 2017 (as amended)
Not applicable

Poisons and Explosives Precursor per Poisons Act 1972
This product is subject to Poisons Act 1972. Suspicious transactions and significant disappearances and thefts are to be reported.

Chemical name	Concentration limit for regulated explosives precursors	Reportable explosives precursors	Regulated Poisons	Reportable Poisons
Formaldehyde 50-00-0	-	-	-	5 % w/w
Sodium hydroxide 1310-73-2	-	-	-	12 % w/w

International Inventories
Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Full text of any hazard and/or precautionary statements referred to under Sections 2-15
EUH032 - Contact with acids liberates very toxic gas
EUH071 - Corrosive to the respiratory tract
H225 - Highly flammable liquid and vapour
H301 - Toxic if swallowed
H302 - Harmful if swallowed
H311 - Toxic in contact with skin
H312 - Harmful in contact with skin
H314 - Causes severe skin burns and eye damage
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H330 - Fatal if inhaled
H331 - Toxic if inhaled
H332 - Harmful if inhaled
H341 - Suspected of causing genetic defects
H350 - May cause cancer
H370 - Causes damage to organs
H412 - Harmful to aquatic life with long lasting effects
P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
P330 - Rinse mouth
P501 - Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable
P261 - Avoid breathing dust, fume, gas, mist, vapors and spray
P271 - Use only outdoors or in a well-ventilated area
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P311 - Call a POISON CENTER or doctor
P321 - Specific treatment (see supplemental first aid instructions on this label)
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P280 - Wear protective gloves
P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P362 + P364 - Take off contaminated clothing and wash it before reuse
P280 - Wear protective gloves, protective clothing, eye protection and face protection
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention
P272 - Contaminated work clothing should not be allowed out of the workplace
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P260 - Do not breathe dust, fume, gas, mist, vapors and spray
P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor

Key or legend to abbreviations and acronyms used in the safety data sheet
List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)

AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EC Number	European Community number
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	U.S. Environmental Protection Agency
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organisation
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organisation for Standardisation
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorisation, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)

TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitiser
RS	Respiratory Sensitiser
S	Sensitiser
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS
U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
U.S. Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan National Institute of Technology and Evaluation (NITE)
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine’s PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
United Nations World Health Organization (WHO)

Supercedes date	28-Jan-2022
Issuing Date	28-Jan-2022
Revision date	20-Jan-2026
Revision Note	Change in the mixture classification SDS sections updated 2 3 9 11

This SDS complies with the requirements of UK REACH Regulations SI 2019/758 (as amended)

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Disclaimer
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet